

M


**JAY R. SMITH MFG. CO.**  
 MEMBER OF MORRIS GROUP INTERNATIONAL  
 POST OFFICE BOX 3237  
 MONTGOMERY, ALABAMA 36109-0237 (USA)  
 TEL: 334-277-8520 FAX: 888-377-7818 www.jrsmith.com




MEMBER OF:

LOCATION

# SANI-CEPTOR® ACID RESISTANT COATED FLOOR & INDIRECT WASTE DRAINS

## A.R. COATED NON-TRAFFIC TOPS 8" (205) SQUARE TOP - MEDIUM RECEPTORS

**FUNCTION:** Used in kitchens, hospitals, food markets, restaurants, schools and all types of food handling areas not subject to foot or other traffic where the ultimate in sanitation is desirable and a medium capacity receptor is required.



### FEATURES, OPTIONS & ORDERING INFORMATION

**REGULARLY FURNISHED:** Cast Iron Flanged Receptor with Seepage Holes, Acid Resistant Coated Interior, and Loose Set Acid Resistant Coated Cast Iron Grate. Aluminum Dome Bottom Strainer or White ABS Sediment Bucket as Indicated by Figure Number.

#### VARIATIONS:

- |                          |  |
|--------------------------|--|
| <input type="checkbox"/> | Aluminum Flat Bottom Strainer -FBS           |
| <input type="checkbox"/> | Flashing Clamp -C                            |
| <input type="checkbox"/> | Polished Aluminum Dome Bottom Strainer -PDBS |
| <input type="checkbox"/> | L Speedi-Set Service Weight                  |
| <input type="checkbox"/> | LXH Speedi-Set Extra Heavy                   |
| <input type="checkbox"/> | S.S. Mesh Lined Bucket -BS                   |

#### OPTIONAL MATERIALS:

- |                          |   |
|--------------------------|---|
| <input type="checkbox"/> | All Duco Cast Iron Receptor and Grate -CI |
| <input type="checkbox"/> | All Galvanized Receptor and Grate -G      |

**NOTE:** This grate is not recommended for any type of traffic including pedestrian traffic.

**NOTE:** Dimensions shown in parentheses are in millimeters.

### OPTIONAL TOP GRATES AND COVERS FOR INDIRECT WASTE APPLICATIONS

SUFFIX NUMBER	DESCRIPTION
<input type="checkbox"/> -10	Less A.R.C. Grate
<input type="checkbox"/> -12	With A.R.C. 1/2 Grate
<input type="checkbox"/> -13	With A.R.C. 3/4 Grate
<input type="checkbox"/> -14	With A.R.C. Grate with 2 1/2" (64) DIA Center Hole
<input type="checkbox"/> -15	With NB Rim and Aluminum Recessed Grate
<input type="checkbox"/> -21	With A.R.C. Grate and 4" (100) DIA A.R.C. Funnel
<input type="checkbox"/> -22	With A.R.C. Grate and 6" (150) DIA A.R.C. Funnel
<input type="checkbox"/> -25	With A.R.C. Grate and 8 1/4(210) x 3 1/4(83) x 4 1/2"(115) High Oval A.R.C. Funnel
<input type="checkbox"/> -26	With A.R.C. Grate and 6(150) x 2 1/2(64) x 1"(25) High Oval A.R.C. Funnel
<input type="checkbox"/> -41	With A.R.C. Solid Cover
<input type="checkbox"/> -42	With A.R.C. 1/2 Solid Cover
<input type="checkbox"/> -44	With A.R.C. Solid Cover with 2 1/2" (64) DIA Center Hole

M	1-28-22
L	3-22-19
K	8-4-14
J	6-10-14

Revised Variations
Revised Variations
Revised Variations
Revised Reg. Furn., Var.

KK
MW
TBW
TBW

CL
CL
CL
TWK

WEIGHT
POUNDS

VOLUME
CUBIC FEET

FIGURE NUMBER

# 3410, 3411

REV.	DATE	DESCRIPTION	BY	CKD. BY
------	------	-------------	----	---------



**WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

DRAWING NUMBER

S3410

SIZE

A

SCALE:

NONE

DATE:

9-19-85

APPROVED BY:

SUM

CHECKED BY:

JD

DRAWN BY:

VGD

# 3410, 3411

FIGURE NUMBER

WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA

DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCE AND CHANGE WITHOUT NOTICE